

SCAG





KEY IDENTIFYING FEATURES

ALL UNITS LISTED

3 GALLON METAL FUEL TANK 4 SPEED 700-013 TRANSMISSION NO OPERATOR PRESENCE CONTROL (OPTIONAL SEE SB 30)

MODEL#

SW32-12B

SW36-8J

SW36-12B

SW36-13K

SW48-12B

SW48-13K


SW-13K

SW-18KH

SWM-52

SWM-61

32" & 36" CUTTER DECKS




32" & 36" CUTTER DECK

	. PART NO.	DESCRIPTION		SW 36	/M 36BS	REF.	PART NO.	DESCRIPTION		SW 36	M 36BS
	46087	Cutter Deck Wid (incl. Decal)		x	x	42	48127	Pulley (incl. 43-44)	×	×	X
1	45126	Cutter Deck Wid	x			43	48141	Tapered Hub	x	X	x
2	46020	Cutter Spindle Assy (incl 3-9)	x	x	x	44	*	Hex Hd Bolt, 1/4-20 x 3/4	×	x	x
3	04050-04	Retaining Ring, 1"ExtInverted	×		X	45	*	Hex Nut, 5/8-11		X	
4	04050-07	Retaining Ring, 2-7/16 Int.bsc	X.		X	46	48204	Belt, Blade Drive	••	X	
5	48101-01	Bearing Cutter Spindle Upper		x	X	46	48278	Belt, Blade Drive	x		
5a	48101-02	Bearing Cutter Spindle Lower		x		47	*	Hex Hd Bolt, 3/8-16 x 5		x	x
6	41001	Spindle Housing	x	X	X	48	•	Hex Nut, 3/8-16	x	X	X
7	48114-02	Grease Fitting, Str 5/16 Serr	x	x	x	48a	•	Hex Nut, 3/8-16 Ctr Locknut		X	
8	43001-02	Spindle, Cutter Blade	x	x	x	49	•	Lockwasher, Spring 3/8		X	
9	04041-02	Washer, 1-5/16 x 2-13/32 x 16 ga.				50	04004-02			X	
10	04063-08	Key, 1/4 x 1/4 x 2		x		51	45098	Belt Guide Wid		x	
11	43038	Spacer, Cutter Blade		X		52 si		Hex Hd Bolt, 7/16-14 x 1-1/4		X	
12	*	Hex Hd Bolt, 5/16-18 x 1-1/4		x		53	*	Washer, 15/32 x 59/64 x 16 ga.		x	
13	*	Lockwasher, Spring 5/16	x		x	54	•	Lockwasher, Spring, 7/16		x	
14	•	Hex Nut 5/16-18		x		55	•	Hex Nut, 7/16-14 elastic stop		x	
14a	*	Hex Nut 5/16-24		x		56	45037	Idler Pivot Wd		x	
15	48108	Cutter Blade 18"	^	x			4 46145	Idler Arm Assy. (incl. 22 & 58)		x	
15	48110	Cutter Blade 16 1/2"	x	^	^	58	48100-05	Bronze Bearing		x	
	48185	Cutter Blade 18" Hi Lift	^	¥	x	59	04050-02	Retaining Ring, 3/4 Ext,-"E"		x	
	48184	Cutter Blade 16 1/2" Hi Lift	x	^	^	60	04004-04	Stud		x	
16	04040-10	Flat Washer, 5/8 W	x	J			48269	Idler Pulley, Belt Clutch		×	
17	04001-41	Hex Hd Bolt, 5/8-11 x 9-1/2		x	~	62	43063	Spacer, idler		x	
18	46079	Caster Assy. (incl.19-28)	Ĵ.		^	63	04070-02			x	
19	04066-01	Quick Pin		X	x	64	04070-02	Eyebolt, RH		x	
20	43037-01	Spacer, Caster Yoke, 1/2 long			x	65	43025	Turnbuckle		×	
21	48100-01	Bronze Bearing	٠.	×	^	66	04022-02			X	
22	48114-01	Grease Fitting, Str. 1/4-28	u	X	×	67	43042			X	
23	46082				^	68	43042	Sieeve, Clutch Rod		X	
24	45006	Support Assy. (incl. 21-22) Caster Yoke Wid		X		,	44003	Hex Hd Bolt, 3/8-16 x 2-3/4			
	43022	-		X		69	43043	Blade Clutch Rod, Lower		X	
25		Sleeve, Caster Wheel Brg.		X			43043 *	Sleeve, Clutch Rod			
26	04001-37	Hex Hd Bolt, 1/2-13 x 5-1/2		×		71		Cotter Pin, 3/32 x 1		X	
27		Hex Locknut, 1/2-13		X		72		Washer. 33/64 x 1 x 16 ga.		X	
28	48006-01	Wheel Assy, (incl.13-14a, 29-34)		X		73	04062-01	Hair Pin, large		X	
29	48006-02	Tire Only Caster Wheel		X		74		Hex Hd Bolt, 3/8-16 x 1		X	
NS	48006-03	Inner Tube for 48006-01		X		75	42057	Cam Link		X	• • •
30	48006-04	Rim Pair, Caster Wheel		X		76	46078	Caster Assy (incl.19-20, 22, 77-81			X
31	48006-07	Retainer, Bearing, Caster wheel		X		77	45102	Caster Support Wld.	X		X
32	48006-06	Roller Bearing, Caster Wheel		X		78	43037-02		×		x
33	48114-03	Grease Fitting, 45' 1/4-28		X		79	45103	Caster Yoke Wid.	X		X
34	48006-05	Hub Assy, Caster Wheel		X		80	48195	Caster Wheel Assy.	X		×
35	*	Hex Hd Bolt, 5/16-18 x 3/4		X		81	04050-01	J, -	×		×
36	45100	Discharge Chute Wld		X		82	44009	Belt Guide	X	X	
37	*	Hex Nut, 5/16-18 Elastic Stop		X		83	42288	Bumper Ballast			x
38	*	Hex Hd bolt, 5/16-18x1	X	X	X	83	42350	Bumper Ballast	X		
39	46085	Belt Cover Assy (incl. Decal)			x	84	•	Hex Hd Bolt, 5/16-18 x 1 1/2		X	
39	46157	Belt Cover Assy (incl. Decal)	X			85	*	Flat Washer, 5/16		X	
40	*	Washer, 25/64 x 15/16 x 12 ga.	X	X	x	86	04041-089	Washer, 3/4 x 1 1/4 x .035	X	X	x
41	04022-04	Wing Nut, 3/8-16 elastic stop	X	X	x	87	04040-09	Washer			

^{*} Common hardware should be purchased locally. All bolts are Grade 5 plated, all other fasteners are zinc plated.

	SERVICE MANAGER'S NOTES
REF. NO	<u>).</u>
61	See SB 25 - New Idler Arm Assembly
57	See SB 25 - New Idler Arm Assembly
52	Deck mounting bolts must be torqued to 70 ft. lbs.

48", 52", & 61" CUTTER DECKS




48", 52", & 61" CUTTER DECKS

	. PART NO.	DESCRIPTION		WN 52		REF.	PART NO.	DESCRIPTION		WN 52	
1	46088	Cutter Deck (incl. decal)				42	48127	Pulley (incl. 43-44)	x	×	×
1	46163	Cutter Deck (incl. decal)	^	x			48141	Tapered Hub	x	x	X
1	46119	Cutter Deck (incl. decal)		^	x	44	*	Hex Hd Bolt 1/4-20 x 3/4	x	×	x
2	46020	Cutter Spindle Assy. (incl. 3-9)	x	x	×	45	•	Hex Nut, 5/8-11	x	x	X
	04050-04	Retaining Ring, 1° ExtInverted				4	48129	Pulley, Double (incl. 43-44)	x	x	x
3 4	04050-07	Retaining Ring, 2-7/16" Int.basic	X	X	X X		48087	Belt, RH Blade Drive	x	_	^
		Bearing, Cutter Spindle Upper	X	X			48285	Belt, RH Blade Drive	•	x	
5	48101-01 48101-02	Bearing, Cutter Spindle Lower	X	X	X X		48265	Belt, RH Blade Drive		••	x
5a	41001	Spindle Housing	X	X	X		48089	Belt, Blade Drive	x		_
6		Grease Fitting Str. 5/16 Serr.	X	X	X		48286	Belt, Blade Drive	_	x	
7	48114-02	Spindle, Cutter Blade	X	X	X		48264	Belt, Blade Drive		^	x
8	43001-02					49	*	Hex Hd Bolt, 3/8-16 x 5"	x	x	x
9	04041-02	Washer, 1-5/16 x 2-13/32 x 16 ga		X	X	50	*	Hex Nut, 3/8-16	x	x	x
10	04063-08	Key, 1/4 x 1/4 x 2	X	X	X	50a	•	Hex Nut 3/8-16, Centerlock	x	x	x
11	43038	Spacer, Cutter Blade	X	X	X	51	*	Lockwasher, Spring, 3/8	x	x	×
12	*	Hex Hd Bolt, 5/16-18 x 1-1/4	X	X	X	52	04004-02	Support, Belt Cover	x	x	x
13		Lockwasher, Spring, 5/16	X	X	X	53	45098	Belt Guide Wid.	x	x	x
14	*	Hex Nut, 5/16-18	X	X	X	54 8M	+3030	Hex Hd Bolt, 7/16-14 x 1-1/4	X	x	X
14a		Hex Nut, 5/16-24	X	X	X	54 8M	*	Washer, 15/32 x 59/64 x 16 ga.	X	×	X
15	48110	Cutter Blade 16-1/2"	×			55 56	•	Lock Washer, Spring, 7/16	X	X	X
15	48108	Cutter Blade 18*		X		57	*	Hex Nut, 7/16-14		x	X
15	48111	Cutter Blade 21"			×				X		X
15a	48184	Cutter Blade 16-1/2" Hi Lift	×			58 59	48181	Idler Pulley, "V" Groove	X	X	
15a	48185	Cutter Blade 18° Hi Lift		X			04050-02	Retaining Ring, 3/4" Ext."E"	X	X	X
16	04040-10	Flat Washer, 5/8"W	X	X	X	60	46081	Idler Arm Assy, (incl. 22 & 66)	×	X	X
17	04001-41	Hex Hd Bolt, 5/8-11 x 9-1/2"	×	X	×	61	48100-05	Bronze Bearing	X	X	X
18	46079	Caster Assy, Comp. (incl.19-28)	X	X	X	62	43028	Rod, Idler Pull, J	X	X	X
19	04066-01	Quick Pin	X	X	X	63	43077	Spacer, J Pull Rod	X	X	X
20	43037-01	Spacer, Caster Yoke, 1/2" long	X	X	X	64	04041-12	Washer, 3/8 x 1-1/2 x 16 ga.	X	X	X
21	48100-01	Bronze Bearing	X	X	X	65		Hex Hd Bolt, 3/8-16 x 2-1/4	X	X	X
22	48114-01	Grease Fitting, Str., 1/4-28	X	X	X	65a	04004-04	Stud	X	X	Х
23	46082	Support Assy. (incl. 21-22)	X	X	X	66		Hex Nut, 3/8-16 Elastic Stop	X	X	Х
24	45006	Caster Yoke Wid.	X	X	X		46145	Idler Arm (incl. 22 & 61)	X	X	X
25	43022	Sleeve, Caster Wheel Bearing	X	X	X	68	43063	Spacer	X	×	X
26	04001-37	Hex Hd Bolt, 1/2-13 x 5-1/2*	X	X	X	69	04070-02	Eyebolt, LH	X	X	X
27	*	Hex Locknut, 1/2-13	X	X	X	70	04070-01	Eyebolt, RH	X	X	X
28	48006-01	Wheel Assy. (incl.13-14a, 29-34)	' X	X	X	71	43025	Turnbuckle	X	X	. X
29	48006-02	Tire only, Caster Wheel	X	X	X	72	04022-02	Wing Nut, 5/16-18	X.	X	×
	48006-03	inner Tube only, Caster Wheel	×	X	X	73	43042	Sieeve, Cam Clutch	X	X	×
30	48006-04	Rim Pair, Caster Wheel	X	x	X	74	*	Hex Hd Bolt, 3/8-16 x 2-3/4	X	X	X
31	48006-07	Retainer, Bearing, Caster Wheel	x	X	X	75	45037	Idler Pivot Wid.	X	X	>
32	48006-06	Roller Bearing, Caster Wheel	X	x	x	76 SM	48269	Idler Pulley, Belt Clutch	X	X	>
33	48114-03	Grease Fitting 45' 1/4-28	x	x	x	77	44003	Blade Clutch Rod, Lower	X	X	>
34	48006-05	Hub Assy, Caster Wheel	X	x	x	78	43043	Sleeve, Clutch Rod	X	X	>
35	*	Hex Hd Bolt, 5/16-18 x 3/4"	x	x	x	79	•	Cotter Pin, 3/32 x 1	X	X)
36	45029	Discharge Chute Wid	x		. x	80	*	Washer, 33/64 x 1 x 16 ga	X	x	,
36	45100	Discharge Chute Wid		x		81	04062-01	Hair Pin Large	x	×)
37	*	Hex Nut, 5/16-18 Elastic Stop	x	×	×	82	*	Hex Hd Bolt, 3/8-16 x 1	x	x	,
38	•	Hex Hd Bolt, 5/16-18 x 1	×	x	x	83	42057	Cam Link	x	x	,
39	46086	Belt Cover Assy .(incl.Decais)	x	^	_	84	45046	Roller Shaft Wld		x	;
	46164	Belt Cover Assy. (incl. Decais)	^	x		85	48038	Guide Roller		x	;
39	46121	Belt Cover Assy. (incl. Decais)		^	×	86	*	Flat Washer, 11/32 x 11/16 x 16g	a	x	,
39	46121	Washer 25/64 x 15/16 x 12 ga.	×	J	×	87	44008	Belt Guide	×	x	
40	04022-04	Wing Nut, 3/8-16	X	X	×	88	*	Flat Washer, 5/16	x	x	;

[†] Common hardware should be purchased locally. All bolt Grade 5, all other fasteners zinc plated.

000		
<u>REF. NO.</u>		
76	See SB 25 - New Idler Arm Assembly.	
67	See SB 25 - New Idler Arm Assembly.	
54	Deck mounting bolts must be torqued to 70 ft. lbs.	

ENGINE DECK



ENGINE DECK

	. PART NO.	DESCRIPTION	SW 32 12B	SW 36 12B	SW 36 13K	SW 36 8J	SW 48 12B	48	52	SW 52 18KH	SW 61 18KH
	48268										
SM	48273	Engine 18HP Kohler (MV18 PS-58511) Engine 8HP JLO				x				X	X
	48271	Engine 12HP Briggs (281702 type 0152-01)	u	U		^	x				
	-		X	X			^	J	u		
	48190	Engine 12.5 Kawasaki (FB460-ES05)			X			X	X		
	48191	Transmission (PEERLESS 700-013)	X	X	X	X	X	X	X	X	X
	48021	Neutral safety switch	×	X	X	X	X	X	X	X	X
5	48122-01	Fibre washer, thin	x	X	X	X	X	X	X	×	x
ia	48122-02	Fibre washer, thick	×	×	x	X	×	X	X	x	x
3	48226	Coupler, jackshaft	×	x	x	X	×	X	X	×	x
•	48114-01	Grease fitting, str. 1/4-28	×	x	×	X	x	X	×	X	X
3	48225	Jackshaft	x	×	x	X	x	X			
3a	48242	Jackshaft							×	x	X
3	04063-09	Key, Hi-Pro #9	x	X	X	x	×	×	x	×	X
0	*	Hex Hd Bolt, 5/16-18 x 3/4	×	x	×	X	×	×	×	×	X
11	*	Lockwasher, Spring 5/16	x	×	×	X	×	X	X	x	X
2	48211	Clutch Safety Switch (White Housing)	×	X	×	×	x	X	X	x	×
13	*	Mach.Scr, Phil, 10-32 x 1/2	x	x	×	x	x	X	x	x	X
14	*	Washer .219 x.500 x.049	×	×	×	x	×	X	X	x	x
15	*	Lockwasher, #10 Ext. Tooth	×	X	×	×	×	x	X	x	x
16	•	Hex Nut #10-32	×	x	×	x	×	x	x	x	x
	u45090	Engine Deck Wid.		x	×	x	×	X			
17 s#	u45116	Engine Deck Wid.							×	x	x
	45128	Engine Deck Wld.	×								
18	42263	Rear Belt Guide, Engine	x	×	×	X	x	x	×	x	×
19	*	Hex Nut, 5/16-18	×	X	x	X	×	×	X	×	x
20	44006	Belt Guide, Traction Dr.	x	X	×	×	x	X	X	X	X
21	*	Hex Head Bolt, 5/16-18 x 1	×	x	x	x	x	X	X	×	X
21a	04003-04	Carriage Hd Bolt 5/16-18 x 1	x	x	x	×	×	X	X	×	X
22	*	Washer, 25/64 x 15/16 x 12 ga.	x	x	x	x	x	x	x	x	×
	40407		x	x	x	x	x	x	x	x	x
23	48197	Pulley, Trans. Input			×		x	x	×	â	x
24	04063-07	Key, Woodruff #9	X	X		X					x
25	04050-09	Retaining Ring, 5/8 Ext.Basic	X	X	X	X	X	X	X	X	
26	48203	Belt, Transmission Drive	×	X	X	X	X	X	X	X	X
27	48201	Idler Pulley, Transmission	×	X	X	×	X	X	X	X	X
28	48196	Pulley, Traction Drive	×	X	×		X	X	×	×	×
28	48249	Pulley, Traction Drive				X					
29	04063-03	Key, 1/4 x 1/4 x 2-1/2	×	×	×		×	X	X	×	x
29	04063-10	Key, 3/16 x 13/16 x 2-1/2				X					
31	48127	Pulley, Belt Dr. (Incl. 32-33)	x	×	×		x	X	x	X	X
31	48247	Pulley, Belt Dr. (Incl. 32-33)				x					
32	48141	Taper Hub (for 48127)	×	X	x		×	X	X	×	×
32	48248	Taper Hub (for 48247)				x					
33	*	Hex Hd Bolt, 1/4-20 x 3/4	×	X	×	x	×	X	X	x	×
34	*	Lockwasher, Spring, 3/8	×	×	x	x	×	x	x	×	x
35	*	Hex Nut, 3/8-16	×	X	X	X	×	X	x	x	x
36	42268	Belt Guide, Saddle	×	X	x	X					
36A	42265	Belt Guide, Saddle				•••	x	x	x	x	x
37	42205 *	Hex Hd Bolt, Metric 8x25	x	×	×		x	x	x	x	x
	*	Hex Hd Bolt, Metric 10x30	^	_	-	x	-	-	-	-	
37		Drive Wheel Assy (Incl. 38A-38B)		x	x	x	x	x	×	x	×
38	48192-01		U	^	^	^	^	^	^	^	-
38	48253	Drive Wheel Assy (Incl. 38C-38D)	X		_	_	J	u	U	U	J
38A	48192-02	Tire, 13 x 6.50-6, 2-Ply		X	X	X	X	X	X	X	X
38B	48192-03	Rim & Bearing Assy (Incl. 39)		X	X	X	×	×	×	X	^
38C		Tire, 13 x 5.00-6, 2Ply	X								
38D		Rim & Bearing Assy (incl. 39)	x								
39 s	M48193	Wheel Bearing	x	×	x	X	×	X	X	X	X
40	04042-05	Washer, 1-1/16 x 1-3/4 x 12 ga.	x	×	×	X	×	X	X	X	x
40A		Washer, 1-1/16 x 1-1/2 x 18 ga.	×	×	x	X	×	X	X	×	×
41	04050-08	Retaining Ring, 1" Ext"E"	x	X	×	x	x	x	X	x	x
42	48200	Pulley, Wheel Drive	×	x	×	x	×	x	×	×	×
74	43088	Spacer, Wheel Pulley	x	×	×	x	x	x	×	×	x

^{*} Common hardware should be purchased locally. All bolts Grade 5 plated, all other fasteners zinc plated

ENGINE DECK CONT'D See Page C5 For Illustration

	F. PART NO.	DESCRIPTION		32		36	36	SW 48 12B	SW 48 13K	SW 52 13K	SW 52 18KH	SW 61 18KH
44	48209	Brake Drum		×	×	x	x	×	x	×	x	×
45	*	Hex Head Bolt, 5/16-18 x 1-1/2		X	×	X	X	×	x	x	x	×
46	04003-03	Sh.Sq.Nk.Car. Bolt, 3/8-16 x 2		X	×		X	×	x	x	x	x
47	*	Hex Nut, 5/16-18 Elastic Stop		×	×	x	X	x	x	x	x	×
48	*	Carr Bolt, 3/8-16 x 1 1/2Rd.Hd. Sh. Sq. NK.	•	•		• •:.		1100			X	×
50	42330	Bracket, Idler Pulley		•	•	;	٠.,		6 · · · · · ·		X.	x
51	43063	Spacer				•		>•			×	
52	04041-11	Washer, 13/32 x 1-1/2 x 7 ga.	. :		de la				A 1		×	×
57	42333	Engine Mounting Plate		•			×	14.				
58	•	5/16-18 x 1 Hex Hd. Bolt					X				•	
59	•	6-1x45 Full thrd Hex Hd. Bolt					×					
5 0	•	1/4 Lockwasher, Spring					X					
61	*	Hex Nut, 6-1					X					
52	48275	Clamp, Fuel Hose					X ·					
53	•	Hex Hd Bolt 3/8-16 x 2		;			: . ;				x	x
64	48030	Clamp Fuel Hose									\x	X
65	48257	Pipe Cap		1. 1.		·		V.		;	x	χ.
66	48254	Pipe 4" nipple				٠., .					X	X
67	•	Lockwasher, 7/16 Spring					x .					


^{*} Common hardware should be purchased locally. All bolts Grade 5 plated, all other fasteners zinc plated.

SERVICE MANAGER'S NOTES

REF. NO.	
39	See SB 32 - Drive wheel bearings (outside diameter).
17	See SB 44 - Engine deck support plate.
3	See SB 38 - 4 to 5 speed conversion.
1	See SB 42 - Solutions to starter ratcheting (only Kohler)


SERVICE MANAGER'S NOTES FOR PAGE 9

See SB 27 - Reduction of forward speed. See SB 31 - Transaxle conversion kit.



REF. NO.	PART NO.	DESCRIPTION	ALL UNITS	REF.	PART NO.	DESCRIPTION	ALL UNITS
1.	770061	Case, Transmisson	×	20	778126A	Gear, Spur (20 teeth)	×
2.	772083	Cover, Transmission	x	23	780071	Bearing, Thrust	×
3	776217	Shaft, Output & Brake	x	27	780105A	Bushing, Flanged	×
4	778123A	Gear, Spur (25 teeth)	×	28	786081	Chain, Roller (No.41 chain,24 links)	x
5	786072	Spacer, 1-3/8"OD x 1-1/8"ID x 3/8"	x	29	780072	Washer, Thrust	x
6	778124A	Gear, Spur (30 teeth)	x	30	780086	Bearing, Needle	x
7	778125	Gear, Spur (35 teeth)	x	31	780142	Bearing, Needle	x
8	778146A	Gear, Spur (37 teeth)	x	32	792035	Ring, Retaining	×
9	784266	Collar, Shift	X	33	780139	Washer, Thrust	×
10	786083	Sprocket (18 teeth)	×	34	788040	Ring, Retaining	×
11	786082	Sprocket (9 teeth)	x	35	784267	Rod & Fork Assy., Shift	×
12	776134	Shaft, Counter	x	36	792073	Screw, Flanged Hex hd.tf, 1/4-20x1-1/4	4 x
13	778154	Gear, Bevel (42 teeth)	×	37	792089A	Key	x
14	778145	Gear, Spur (12 teeth)	X.	40	792077	Ball, Steel, 5/16"	x
15	778151	Gear, Spur (15 teeth)	x	41	792078	Screw, Set 3/8-16 x 3/8	×
16	786071	Spacer, 1-1/8"OD x 3/4"ID x 3/8"	x	42	792079	Spring	x'
17	778127A	Gear, Spur (25 teeth)	X	43	780108	Washer, Thrust	×
18	776135	Shaft, Input	×	44	792001	"O" Ring	x
19	778176	Bevel Pinion, Input	x	1			~

HANDLE ASSEMBLY



HANDLE ASSEMBLY

REF. NO.	PART		32	36	SW 36 13K	36	SW 48	SW 48 13K	SW 52 13K	SW 52 18KH	SW 61 18KH
NO.	NO.	DESCRIPTION	120	120	131		120	131	131	101(1)	TOINT
1	46178 46179	Handle Assy. (incl. 90 & decals) Handle Assy. (incl. 90 & decals)	x	x	×	x	×	x	x	×	x
1 2	40179 42249		x	x	x	x	x	×	^	^	^
2	42310	Handle Mounting Frame	••	-	-				X	X	x
2 3	*	Hex Hd Bolt, 3/8-16 x 1	X	X	X	X	X	X	X	X	X
4	*		X	X	X	X	X X	X X	X X	X X	X X
5 6	48213		X X	X X	X X	X	X	â	â	â	x
7	*	Mach. Screw, Phillips, #10-32 x 1/2	x	x	x .	x	x	X	X	X	X
8	*	Lockwasher, #10 Ext. Tooth	X	X	x	X	×	x	X	X	X
9_	*	Hex Nut, #10-32	X	X	X	X	X	X	X	X	X
10	44004	Control Rod, Steering	X	X X	X X	X X	X X	X X	X X	X X	X X
11 12	04062-02	Hair Pin, Small Cotter Pin, 3/32 x 3/4	X X	X	x	x	â	x	x	â	x
13	43032	Swivel Joint	x	x	x	x	x	X	X	X	X
14	04062-01	Hair Pin, Large	X	X	x	X	×	X	X	X	×
15	45091-01	idler Bracket Wid, RH	X	X	X	X	Х.	X	X	X	X
15A	45091-02	Idler Bracket Wid, LH Idler Sleeve	X X	X X	X X	X X	X X	X X	X X	X X	X X
16 17	43092 42283	Belt Guard	X	X	X	â	x	â	x	â	x
18	04004-01	Support Belt Guard	x	x	x	x	x	x	x	x	X
19	•	Hex Nut, 3/8-16	X	X	X	×	X	X	X	X	X
20	*	Lockwasher, Spring, 3/8	X	X	X	X	X	X X	X X	X X	X X
21 22		Hex Head Bolt, 3/8-16 x 2-3/4 Flat Washer 1/4	X X	X X	X X	X	X X.	×	x	x	x
23	*	Lockwasher, Spring, 1/2	x	â	â	x	ŵ,	x	â	x	x
24	*	Hex Nut, 1/2-13 Elastic Stop	X .	X	×	X	×	X	X	x .	X
25 25A	*	Hex Head Bolt, 5/16-18 x 1-1/4	X	X	×	X	×	X	X	X	X
25A	04003-06	Carriage 1/4-20 x 1	X	X	X	X	X	X	X X	X	X X
26 27	48051	Hex Nut, 5/16-18 Spring, Idler Tension	X X	X X	X X	X	X X	X X	x	X X	x
28	40051	Washer, 11/32 x 11/16 x 16 ga.	x	x	â	x	â	x .	x	x	x
29	*	Hex Nut, 5/16-18 Elastic Stop	X	X	X	X	X.	X	X	X	×
30	*	Lockwasher, Spring, 5/16	X	X	×	X	×	×	X	X	x
31	*	Hex Head Bolt, 5/16-18 x 1	X	X	X	X	X	X	X X	×	X X
32 33 s	44005 m 45092-01	Brake Road Brake Lever Wid, RH	X X	X	X X	X	X	X	x	×	x
	M 45092-01	Brake Lever Wid, LH	x .	x	x	x	x	x	x	x	x
34	45093	Brake Link Wid.	X	X	×	X	×	X	X	X	x
35	42254	Brake Link	X	X	×	X	X	X	X	X	X
36	04024-01	Nut, Push-On, 3/8	X X	X	X	X	X	X X	X X	X X	X X
37 38	48114-01 04050-01	Grease Fitting, Str., 1/4-28 Reaining Ring, 5/8 Ext"E"	x	x	x	x	â	â	x	â	x
39	48210	Brake Band	â	â	â	x	x	X	x	X	X
40	*	Hex Head Bolt, 3/8-16 x 2	X	X	×	X	×	X	X	×	X
41	45094	Bell Crank Pivot Wid.	X	X	×	X	X	X	X	X	X
42	*	Hex Head Bolt, 1/4-20 x 1	X	X X	X	X	X	X X	X X	X X	X X
43 44		Lockwasher, Spring, 1/4 Hex Nut, 1/4-20	x	x	x	x	â	â	x	x	x
45	45095	Bell Crank Wid, Clutch	x	x	x	x	×	X	X	X	X
46	44003	Blade Clutch Rod, Lower	X	×	X	x	X	×	x	X	X
47 8	SM 48202	Belt, Wheel Drive	X	X	X	X	X	X	X	X	X
48	48198	Idler Pulley, Wheel Drive	X	X	X	X	X.	X X	X X	X X	X X
49 50	48199	Pulley, Jackshaft (Incl. 50) Setscrew, Hex Socket Knurled Cup Pt.5/16-16 Nylock	X	×	x	x	x	â	x	â	â
51	43098	Spacer, Jackshaft Pulley	x	x	x	x	x	x	x	x	x
52	48223	Flange, Jackshaft Bearing	X	X	X	X	X	×	x	×	x
53 54	48224	Bearing, Jackshaft	X	X	X	X	X	X	X	X	X
54	04050-09	Retaining Ring, 5/8 ExtBasic	X	X	X	X	X	X X	X X	X X	X X
55 56	*	Hex Head Bolt, 1/4-20 x 3/4 Hex Head Bolt, 3/8-16 x 4	x	x	â	x	x	â	x	x	x
55 56 57	48030	Clamp	x	x	x	x	x	x	x	x	x
58 9	SM 42251	Shifter Plate	x	X	X	×	X	×	x	×	x
58 s 59 60	*	Carriage Bolt, 1/4-20 x 1	X	X	X	X	X	X	X	X	X
60	48205	Rubber Pad (lower)	X	X	X	X	X	X	X X	X X	X X
61	48171	Key Switch Lockwasher, Internal Tooth, 5/8	X	X	X	X	X	x	x	â	â
62 63	48017-03 48017-04	Hex Nut, 5/8-32	x	ŵ	x	x	×	x	X	X	×
64	48017-02	Key, Ignition	X.	X	X	X	X	X	X	X	X
65	48058-01	Fuel Hose, Short Briggs 1/4 ID x 3-1/2"	X	X	X		×			_	
65 65	48058-02	Fuel Hose Kohler 1/4 ID x 14 1/8"				×				×	×
65 65a	48058-08 48179-01	Fuel Hose 8J 1/4 ID x 4 1/2" Fuel Hose, Short Kawasaki 7/32 ID x 3-1/2"			×	^		х.	×		
02 a	48058-09	Fuel Hose 8J 1/4 ID x 1-1/4"				x					

^{*} Common hardware should be purchased locally. All bolts Grade 5 plated, all other fasteners zinc plated

HANDLE ASSEMBLY CONT'D See Page © For Illustration

			sw	SW	SW	SW	SW	SW	SW	SW	SW
REF.	PART		32	36	36	36	48	48	52	52	61
NO.	NO.	DESCRIPTION	12B	12B	13K	8J	12B	13K	13K	18Ki	1 18KH
65c	48275	Clamp, fuel hose 8J				x					
65d	48282	Elbow, 8J				×					
66	48059-01		×	x		×	×			×	×
66A	48059-02	Clamp, Fuel Hose Kawasaki			×			×	×		
67	48057-02	Fuel Filter	×	x	×	X	x	x	x	×	×
68	48058-06	Fuel Hose, Long 1/4 ID x 17"	×	x	×	x	x	x	. X	×	×
69	48056	Valve, Fuel Shut Off	X	X	x	X	^ X	×	×	×	×
70	46091	Fuel Tank Assy. (Incl. Decals 23,71,69)	X	×	×	×	×	×	×	×	×
71	48055	Fuel Tank Cap	x	x	x	×	X	×	×	x	x
72	42262	Strap, Fuel Tank	x	x	x	X	X	×	×	x	x
73	•	Mach. Rd. Hd. Slotted, 1/4-20 x 2	×	x	×	x	X	×	×	×	×
74 8		Shifter Lever	×	×	x	X	×	· X	×	×	×
75 8		Shift Lever Assy. (Incl. 76)	×	×	×	x	x	x	x	×	×
76	48215	Grip, Shift Lever	×	X	x	x	x	x	. X	×	×
77	04043-01		×	X	x	X	x	×	x	X.	×
78 si		Hex Head Bolt, 1/4-28 x 3/4 Grade 8	x	X	X	X	x	×	×	x	×
79	48028-01	Cable Tie	x	x	x	X	x	x	x	x	×
80	48206	Throttle Control	X	x	×		x	×	×		
80	48274	Throttle Control				×					
80	48266	Throttle Control								x	x
81	•	Hex Head Bolt, 1/4-20 x 2	x	x	x	X	x	x	x	x	x
82	•	Hex Nut, 1/4-20 Elastic Stop	×	×	×	X	×	×	×	×	×
83	46090	Blade Clutch Lever Assy. (Incl. 84)	x	x	x	X	x	×	x	x	x
84	48144	Grip, Lever	×	x	×	×	x	· x	x	×	×
85	•	Hex Head Bolt, 3/8-16 x 1-3/4	×	×	×	×	x	×	, x	×	×
86	04041-10		×	x	x	×	×	×	x	×	x
87	44002	Belt Clutch Rod, Upper	, x	×	x	×	X	×	×	×	×
88	•	Hex Head Bolt, 5/16-18 x 2-1/4	×	×	x	×	X	×	×	x	×
89	•	Hex Head Bolt, 5/16-18 x 2	×	x	×	×	x	×	x	x	x
90	48159	Grip, Handle	×	x	×	×	×	×	x	×	×
91	46083-01	Neutral Latch Assy, RH (Incl. 92)	x	×	×	x	×	×	×	×	×
91A	46083-02	Neutral Latch Assy, LH (Incl, 92)	x	x	x	×	×	×	x	x	×
92	48095	Grip, Neutral Latch	x	×	x	x	×	x	x	×	x
93	04032-01	Curved Spring Washer	×	×	×	×	' X	x	x	×	×
94	46089	Brake Lever Assy. (Incl. 84)	×	x	×	×	X	×	· x	x	x
95	48050	Spring Compression	x	×	×	×	×	x	'X	×	×
96	48091	Choke Control								×	×

^{*} Common hardware should be purchased locally. All bolts Grade 5 plated, All other fasteners zinc plated.

SERVICE MANAGER'S NOTES REF. NO. See SB 23 - Non-hardened washers on transmission shifter shaft. 78 75 See SB 38 - 4 to 5 speed conversion kit. 74 See SB 38 - 4 to 5 speed conversion kit. 58 See SB 38 - 4 to 5 speed conversion kit. See SB 52 - Belt slippage on walkers. 47 33 See SB 37 - Wheel drive belt slipping.

REPLACEMENT DECALS

SCAG

48314
Decal - Scag's Logo
(Located On Cutter Deck Cover - Top Surface)

R N 1 2 3

48216 - 4SPD 48332 - 5SPD Decal - Shift Index (Located On Shifter Plate - Above Shift Lever)

NEUTRAL

DCK



48218
Decai - Nuetral Lock
(Located on RH & LH Handle Tube
Near Lock Lever)

HEAVY DUTY COMMERCIAL

48072
Decal - Heavy Duty Commercial
(Located On Cutter Deck Cover - Front Wall)

DANGER

ROTATING BLADES AND BELTS

- . KEEP HANDS, FEET & CLOTHING CLEAR
- . KEEP ALL GUARDS IN PLACE
- SHUT OFF ENGINE & DISENGAGE BLADE CLUTCH BEFORE SERVICING
- . CLEAR AREA OF DEBRIS BEFORE MOWING
- CLEAR AREA OF DEBRIS BEFORE MOWING
 USE CAUTION IN DIRECTING DISCHARGE
- KEEP BYSTANDERS, CHILDREN & PETS AWAY
- READ INSTRUCTION MANUAL BEFORE OPERATING

48073

Decal - Danger, Rotating Blades (Located On Cutter Deck Cover -Near Discharge Chute) 48

72	48327
61	48320
52	48319
48	48318
36	48316
32	48315



48071 Decat - O.P.E.I. Safety (Located On Cutter Deck Near Discharge Chute)

CLOSE FUEL VALVE WHEN MACHINE IS NOT IN USE

IF WALVE IS LIFT OPEN SEVERE ENGINE BANKAGE OR HAND STAITING MAY MESULT FROM FLOROMS

48214

Decal - Fuel Shutoff (Located On Fuel Tank - Above Keyswitch)

A DANGER

SERIOUS BODILY INJURY MAY RESULT FROM FAILURE TO FOLLOW SAFE OPERATING PROCEDURES.

BEFORE LEAVING OPERATOR'S POSITION, YOU MUST

- DISENGAGE CUTTER BLADES
 SHIFT TRANSMISSION TO
- NEUTRAL

 WAIT FOR ALL MOVEMENT
 TO STOP

READ OPERATOR'S MAINUAL FOR ADDITIONAL SAFETY GUIDES.

48222

Decal - Operator Warning (Located On Fuel Tank -Above Shift Lever)



48079
Decal - Key Switch
(Located On Shifter
Plate - Near Keyswitch)

WIRING SCHEMATIC

